

RESOLUTION NO. 47-82

WHEREAS, certain requirements of the Uniform Building Code, which has been adopted with certain amendments as the Mason County Building Code are unduly restrictive and burdensome; and,

WHEREAS, following public hearing, motions were passed exempting certain construction from the permit requirements of the Mason County Building Code; and,

WHEREAS, it appears such motions are reasonable and necessary and authorized by RCW 19.27.040,

IT IS HEREBY RESOLVED that Chapter 14.08 of the Mason County Code (Building Code Amendments) is hereby amended by adding the following sections 14.08.190 and 14.08.200 attached hereto.

ADOPTED this 21st day of June, 1982.

BOARD OF COUNTY COMMISSIONERS
Of Mason County, Washington

William O. Hunter

Ed Johnston

Annette S. McGe

ATTEST:

Rebecca Jacobs
CLERK

APPROVED:

Frank Johnson
Deputy Prosecuting
Attorney

cc: Auditor
 Cmms
Building Dept

Fifteen-inch or 18-inch shakes may be used for the final course at the ridge.

[Shakes shall be laid with not less than 18-inch wide strips of not less than Type-30 felt shingled between each course in such a manner that no felt is exposed to the weather below the shake-butts.]

Weather exposures shall not exceed those set forth in Table No. 32-A. Hip and ridge weather exposures shall not exceed those permitted for the field of the roof.