BEFORE THE BOARD OF COUNTY COMMISSIONERS OF MASON COUNTY, WASHINGTON.

In the matter of initiating county road projects and assigning CRP numbers.

IT IS HEREBY RESOLVED THAT the roads listed below be improved as shown between the points indicated.

These projects are hereby declared to be public necessity and the county road engineer is hereby ordered and authorized to report and proceed thereon as by law provided. (RCW 36.75.050, 36.80.080, 36.80.070) (Optional References).

IT IS FURTHER RESOLVED that appropriations from the officially adopted road fund budget and based on the county engineer's estimates are hereby made in the amounts and for the purposes shown:

: BRIDGE NUMBER : NO. :: (see code): S : 0 :	:	(1)	:	(2)	:		(3	)	:	(4	)	: (	(5):	(6	):	:		(7)				:	(8)	:	(9)
: ROAD : TYPE OF : O : A :COST ESTIMATE (THOUSANDS) : CONST. :  ITEM: ROAD NAME AND/OR : LOG : WORK : N : B : ENGIN : CONSTRUCTION : PROG. :  BRIDGE NUMBER : NO. :	:		:		:				:			:	:	DA	Υ:	:						:		:	
TEM: ROAD NAME AND/OR	:		:		:				:			:	C :	L	:	:						:	ANNUAL	:	
: BRIDGE NUMBER : NO. :: (see code): S : O :	:		:	ROAD	:				:	TYPE	OF	:	0 :	Α	:	COST I	ESTIMA	TE (T	HOU	SAN	DS)	:	CONST.	:	
: M.P. to M.P.: : T:R:CONST. COUNTY TOTAL:NO.:  1.: Dewatto Road : 76080 : 3.73 : 4.58 : D - 3RD SHOT: : X : 9.775 : 9.775 : 2 :  2.: Tee Lake : 76370 : 1.33 : 2.41 : D - 3RD SHOT: : X : 12.420 : 12.420 : " :  3.: North Shore Road : 70390 : 15.13 : 15.97 : D - 3RD SHOT: : X : 9.660 : 9.660 : " :  4.: Beeville : 01650 : 2.21 : 2.66 : D - 3RD SHOT: : X : 5.175 : 5.175 : " :  5.: Beeville Loop : 01420 : 4.19 : 5.44 : D - 3RD SHOT: : X : 14.375 : 14.375 : " :  6.: Shore Court : 61290 : 0.00 : 0.02 : D - 3RD SHOT: : X : 230 : .230 : .230 :  7.: Mason Lake Drive South : 60490 : 0.00 : 0.73 : D - 3RD SHOT: : X : 8.395 : 8.395 :  8.: Sherwood Place : 20220 : 0.00 : 0.07 : D - 3RD SHOT: : X : .805 : .805 :  9.: Olympic Place : 21600 : 0.00 : 0.07 : D - 3RD SHOT: : X : .805 : .805 :  10.: Shoreline Place : 20400 : 0.00 : 0.04 : D - 3RD SHOT: : X : .575 : .575 : " :  12.: Maple Lane : 21200 : 0.00 : 0.05 : D - 3RD SHOT: : X : .575 : .575 : " :	ITEM:	ROAD NAME AND/OR	:	LOG	:				:	WORK		:	N :	В	:	ENG:	IN. :	C	ONS	TRU	CTION	:	PROG.	:	CRP
1.: Dewatto Road : 76080 : 3.73 : 4.58 : D - 3RD SHOT: : X : 9.775 : 9.775 : 2 : 2 : Tee Lake : 76370 : 1.33 : 2.41 : D - 3RD SHOT: : X : 12.420 : 12.420 : " : 3 : North Shore Road : 70390 : 15.13 : 15.97 : D - 3RD SHOT: : X : 9.660 : 9.660 : " : 4 : Beeville : 01650 : 2.21 : 2.66 : D - 3RD SHOT: : X : 5.175 : 5.175 : " : 5 : Beeville Loop : 01420 : 4.19 : 5.44 : D - 3RD SHOT: : X : 14.375 : 14.375 : " : 6 : Shore Court : 61290 : 0.00 : 0.02 : D - 3RD SHOT: : X : 230 : .230 : : 7 : Mason Lake Drive South : 60490 : 0.00 : 0.73 : D - 3RD SHOT: : X : 8.395 : 8.395 : : 8 : Sherwood Place : 20220 : 0.00 : 0.07 : D - 3RD SHOT: : X : 805 : .805 : : 9 : 01ympic Place : 21600 : 0.00 : 0.07 : D - 3RD SHOT: : X : .805 : .805 : : 10 : Shoreline Place : 20400 : 0.00 : 0.04 : D - 3RD SHOT: : X : .606 : .460 : " : 11 : Cross Road : 21330 : 0.00 : 0.05 : D - 3RD SHOT: : X : .575 : .575 : " : 12 : Maple Lane : 21200 : 0.00 : 0.05 : D - 3RD SHOT: : X : .575 : .575 : " : .575 : .575 : " : .575 : .575 : " : .575 : .575 : " : .575 : .575 : " : .575 : .575 : " : .575 : .575 : " : .575 : .575 : " : .575 : .575 : " : .575 : .575 : " : .575 : .575 : " : .575 : .575 : " : .575 : .575 : " : .575 : .575 : .575 : " : .575 : .575 : .575 : .575 : " : .575 : .575 : .575 : .575 : " : .575 : .575 : .575 : .575 : " : .575	:	BRIDGE NUMBER	:	NO.	: -				-:	(see	code	e):	S :	0	:							-:	ITEM	:	NO.
2.: Tee Lake : 76370 : 1.33 : 2.41 : D - 3RD SHOT: : X : : 12.420 : 12.420 : 13.420 : 14.420 : 15.420	:		:		:	M.P.	t	o M.P.	:			:	T :	R		CONS	Γ.	COUN	TY		TOTAL	:	NO.	:	
2.: Tee Lake : 76370 : 1.33 : 2.41 : D - 3RD SHOT: : X : : 12.420 : 12.420 : 13.420 : 14.420 : 15.420	1. :	Dewatto Road	:	76080	:	3.73	:	4.58	: D	- 3R	SHO	 DT:	:				:	9.	775	·.	9.775	• • •	2		1427
3.: North Shore Road : 70390 : 15.13 : 15.97 : D - 3RD SHOT: : X : : 9.660 : 9.660 : " : 4. : Beeville : 01650 : 2.21 : 2.66 : D - 3RD SHOT: : X : : 5.175 : 5.175 : " : 5. : Beeville Loop : 01420 : 4.19 : 5.44 : D - 3RD SHOT: : X : : 14.375 : 14.375 : " : 6. : Shore Court : 61290 : 0.00 : 0.02 : D - 3RD SHOT: : X : : .230 : .230 : " : 7. : Mason Lake Drive South : 60490 : 0.00 : 0.73 : D - 3RD SHOT: : X : : 8.395 : 8.395 : " : 8. : Sherwood Place : 20220 : 0.00 : 0.07 : D - 3RD SHOT: : X : : .805 : .805 : " : 9. : Olympic Place : 21600 : 0.00 : 0.07 : D - 3RD SHOT: : X : : .805 : .805 : " : 10. : Shoreline Place : 20400 : 0.00 : 0.04 : D - 3RD SHOT: : X : : .460 : .460 : " : 11. : Cross Road : 21330 : 0.00 : 0.05 : D - 3RD SHOT: : X : : .575 : .575 : " : 12. : Maple Lane																	:						11		1428
4.: Beeville : 01650 : 2.21 : 2.66 :D - 3RD SHOT: : X : : 5.175 : " : 5. 175 : " :	55.5			70390	:	15.13	:										:		100	150			13		1429
5. : Beeville Loop : 01420 : 4.19 : 5.44 : D - 3RD SHOT: : X : : 14.375 : 14.375 : " : 6. : Shore Court : 61290 : 0.00 : 0.02 : D - 3RD SHOT: : X : : .230 : .230 : " : 7. : Mason Lake Drive South : 60490 : 0.00 : 0.73 : D - 3RD SHOT: : X : : 8.395 : 8.395 : " : 8. : Sherwood Place : 20220 : 0.00 : 0.07 : D - 3RD SHOT: : X : : .805 : .805 : " : 9. : Olympic Place : 21600 : 0.00 : 0.07 : D - 3RD SHOT: : X : : .805 : .805 : " : 10. : Shoreline Place : 20400 : 0.00 : 0.04 : D - 3RD SHOT: : X : : .460 : .460 : " : 11. : Cross Road : 21330 : 0.00 : 0.05 : D - 3RD SHOT: : X : : .575 : .575 : " : 12. : Maple Lane : 21200 : 0.00 : 0.05 : D - 3RD SHOT: : X : : .575 : .575 : " :	4. :	Beeville	:	01650	:	2.21	:	2.66	: D	- 3R	) SHO	TC:	:	X	:		:	5.	175	:			II		1430
7. : Mason Lake Drive South : 60490 : 0.00 : 0.73 : D - 3RD SHOT: : X : : 8.395 : 8.395 : 11 : 8. : Sherwood Place : 20220 : 0.00 : 0.07 : D - 3RD SHOT: : X : : .805 : .805 : 11 : 9. : Olympic Place : 21600 : 0.00 : 0.07 : D - 3RD SHOT: : X : : .805 : .805 : 11 : 10. : Shoreline Place : 20400 : 0.00 : 0.04 : D - 3RD SHOT: : X : : .460 : .460 : 11 : 11. : Cross Road : 21330 : 0.00 : 0.05 : D - 3RD SHOT: : X : : .575 : .575 : 12. : Maple Lane : 21200 : 0.00 : 0.05 : D - 3RD SHOT: : X : : .575 : .575 : .575	5. :	Beeville Loop	:	01420	:	4.19	:	5.44	: D	- 3R	SHC C	oT:	:	X	:		:	14.	375	:	14.375	:	11		1431
8.: Sherwood Place : 20220 : 0.00 : 0.07 :D - 3RD SHOT: : X : : .805 : .805 : : 9.: Olympic Place : 21600 : 0.00 : 0.07 :D - 3RD SHOT: : X : : .805 : .805 : : 10.: Shoreline Place : 20400 : 0.00 : 0.04 :D - 3RD SHOT: : X : : .460 : .460 : : 11.: Cross Road : 21330 : 0.00 : 0.05 :D - 3RD SHOT: : X : : .575 : .575 : : 12.: Maple Lane : 21200 : 0.00 : 0.05 :D - 3RD SHOT: : X : : .575 : .575 : :	6. :	Shore Court	:	61290	:	0.00	:	0.02	: D	- 3R	) SHO	oT:	:	X	:	:	:		230	:	.230	:	н	:	1432
9.: Olympic Place : 21600 : 0.00 : 0.07 :D - 3RD SHOT: : X : : .805 : .805 : " : 10. : Shoreline Place : 20400 : 0.00 : 0.04 :D - 3RD SHOT: : X : : .460 : .460 : " : 11. : Cross Road : 21330 : 0.00 : 0.05 :D - 3RD SHOT: : X : : .575 : .575 : " : 12. : Maple Lane : 21200 : 0.00 : 0.05 :D - 3RD SHOT: : X : : .575 : .575 : " :	7. :	Mason Lake Drive South	:	60490	:	0.00	:	0.73	: D	- 3R	) SHO	: TC	:	X	:	:	:	8.	395	:	8.395	:	11	:	1433
10. : Shoreline Place       : 20400 : 0.00 : 0.04 : D - 3RD SHOT: : X : : .460 : .460 : " : .11. : Cross Road       : 21330 : 0.00 : 0.05 : D - 3RD SHOT: : X : : .575 : .575 : " : .12. : Maple Lane       : 21200 : 0.00 : 0.05 : D - 3RD SHOT: : X : : .575 : .575 : " : .575 : .575 : " : .575 : .575 : " : .575 : .575 : " : .575 :	8. :	Sherwood Place	:	20220	:	0.00	:	0.07	: D	- 3R	SHC C	oT:	:	X	:	:	:		805	:	.805	:	11	:	1434
11. : Cross Road : 21330 : 0.00 : 0.05 :D - 3RD SHOT: : X : : .575 : .575 : " : 12. : Maple Lane : 21200 : 0.00 : 0.05 :D - 3RD SHOT: : X : : .575 : .575 : " :	9. :	Olympic Place	:	21600	:	0.00	:	0.07	: D	- 3R	SHO C	oT:	:	X	:	:	:		805	:	.805	:	11	:	1435
12. : Maple Lane : 21200 : 0.00 : 0.05 :D - 3RD SHOT: : X : : .575 : .575 : " :	10. :	Shoreline Place	:	20400	:	0.00	:	0.04	: D	- 3R	D SH	or:	:	X	:	:	:		460	:	.460	:	11	:	1436
12. : Maple Lane : 21200 : 0.00 : 0.05 :D - 3KU SHOT: : X : : .5/5 : .5/5 : :	11. :	Cross Road	:	21330	:	0.00	:	0.05	: D	- 3R	D SH	:TC	:	X	:	:	:		575	:	.575	:	ш	:	1437
13. : View Place : 22420 : 0.00 : 0.04 :D - 3RD SHOT: : X : : .460 : .460 : " :	12. :	Maple Lane	:	21200	:	0.00	:	0.05	: D	- 3R	D SH	OT:	:	X	:	:	:		575	:	.575	:	11	:	1438
	13. :	View Place	:	22420	:	0.00	:	0.04	: D	- 3R	D SH	OT:	:	X	:	:	:		460	:	.460	:	11	:	1439
14. : Hammond Place : 22540 : 0.00 : 0.04 :D - 3RD SHOT: : X : .460 : .460 : " :	14. :	Hammond Place	:	22540	:	0.00	:	0.04	: D	- 3R	D SH	:TC	:	X	:	:	:		460	:	.460	;	11	:	1440
15. : Yew Place : 22740 : 0.00 : 0.04 :D - 3RD SHOT: : X : : .460 : .460 : " :	15. :	Yew Place	:	22740	:	0.00	:	0.04	: D	- 3R	D SH	:TC	:	X	:	:	:		460	:	.460	:	11	:	1441
16. : Fir Place : 23100 : 0.00 : 0.04 :D - 3RD SHOT: : X :	16. :	Fir Place	:	23100	:	0.00	:	0.04	:D	- 3R	D SH	:TC	:	X	:		. :		460	:	.460	:	11	:	1442

- 4. TYPE OF WORK CODE
  - A. Preliminary Engineering
  - B. Right-of-Way
  - C. Grading, Draining, Surfacing
  - D. Light Bit. Surf. Treatment
  - E. A.C. or P.C.C. Pavement
- F. Curbs & Gutters
- G. Sidewalks
- H. Traffic Facilities
- I. Bridge Construction
- J. Paths & Trails (RCW 47.301)

ADOPTED THIS 22nd day of June, 1993.

ATTEST:

Clerk of the Board Robbera Cogers

cc: Co. Commissioners

Engineer

JOURNAL: Publ. 1t. 7-01-93 (Bill Road Dept.)

FILE: CMH H: \LOTUS\3RD-BST.WK1

- (5) The construction is to accomplished by contract in accordance with RCW 36.77.020 et. seq.
- (6) The construction is to be accomplished by county forces in accordance with RCW 36.77.060 and WAC 136.18.

BOARD OF COUNTY COMMISSIONERS OF MASON, COUNTY, WASHINGTON

Chairperson

Member

Member

M.K. Toughend